Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 50

DECEMBER 10 - 1920

SPECIAL ARTICLES

Report of National Commission on Milk Standards
Sewage-Disposal System for Isolated Dwellings
The Bedbug—Its Habits and Relation to Public Health
Vaccination and Smallpox Mortality

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of smallpox, cholera, plague, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

The Public Health Service is unable to supply the demand for bound copies of the PUBLIC HEALTH REPORTS. Librarians and others receiving the PUBLIC HEALTH REPORTS regularly should preserve them for binding, as it is not practicable to furnish bound copies on individual requests.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2 PER YEAR

CONTENTS.

Page.

Commission on milk standards—Report of the National Commission on Milk Standards of the New York Milk Committee, 1920 2955
Sanitary disposal of sewage through a septic tank—A system of simple construction and inexpensive operation for isolated dwellings 2959
The bedbug—Its relation to public health, its habits and life history, and methods of control 2964
Vaccination and smallpox mortality 2970
Public health engineering abstracts 2971
Deaths during week ended November 27, 1920:
In certain large cities of the United States 2974
Death claims reported by insurance companies 2974

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended December 4, 1920 2975
District of Columbia and Kentucky reports for week ended November 27, 1920 2978
Summary of cases reported monthly by States 2979
Anthrax—Maine, Massachusetts, New Jersey, and Pennsylvania 2979
Cerebrospinal meningitis—City reports for week ended November 20, 1920. 2979
Dengue—Savannah, Ga.—Week ended November 20, 1920 2979
Influenza—City reports for week ended November 20, 1920 2980
Leprosy—New Orleans, La.—Week ended November 20, 1920 2980
Lethargic encephalitis—California and Kansas 2980
Malaria—City reports for week ended November 20, 1920 2981
Pellagra—City reports for week ended November 20, 1920 2981
Plague—
Human cases of plague reported 2981
Plague-infected rodents 2981
Pneumonia (all forms)—City reports for week ended November 20, 1920.. 2982
Poliomyelitis (infantile paralysis)—City reports for week ended November 20, 1920 2983
Rabies in animals—Kansas City, Mo., and Tulsa, Okla 2984
Rabies in man—Stockton, Calif.—Week ended November 20, 1920 2984
Smallpox—City reports for week ended November 20, 1920 2984
Tetanus—City reports for week ended November 20, 1920 2985
Trichinosis—San Francisco, Calif.—Week ended November 20, 1920 2985
Typhoid fever—City reports for week ended November 20, 1920 2985
Typhus fever—Austin, Tex 2987
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended November 20, 1920 2987

Foreign and Insular: Page.
Jamaica—Infectious disease reported present 2994
Japan—Mortality—Taiwan Island (Formosa)—1916-1918 2994
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended December 10, 1920—
Cholera 2995
Plague 2995
Smallpox 2996
Typhus fever 2996
Yellow fever 2997
Reports received from June 26 to December 3, 1920—
Cholera 2997
Plague 2998
Smallpox 3000
Typhus fever 3004
Yellow fever 3006